


# PRYME LYNE


## PREMIUM QUALITY CEDAR PRODUCTS




### Siding

Most Profiles Available In Knotty & Clear Grades  
Additional Profiles Available Upon Request


1x4 & 1x6 Tongue & Groove V-Joint



1x8 & 1x10 Bevel Siding



1x4 & 1x6 Tongue & Groove V-Joint  
Reversible Centre V



1x10 & 1x12 Wavy Edge



1x4 & 1x6 Nickel Gap Profile



1x8 Channel Siding  
Reversible Centre V



Premium Quality Cedar - Defined.

**pryme.** *(adj)*  
first in quality; the highest excellence

### Decking & Dimensional

Most profiles available in Knotty & Clear Grades

5/4x6 Radius Edge Decking    1x4, 1x6, 1x8 & 1x10



2x4 Eased Edge



2x8, 2x10 & 2x12




2x6 Eased Edge



4x4, 6x6 & 8x8




### Shingles & Shakes



Shingle



Shake



Shake

Shingle

Shingles Available In #1 & #2 Perfection

Tapersawn Shakes Available In #1 & #2


Shakes Available In Medium and Heavy

#### Decorative Wall Shingles



### Accessories:


Lattice



Balusters




Shims



Proudly Distributed By:

**NC** Nicholson and Cates Limited  
BUILDING PRODUCTS

Phone: 800-263-6223 web: niccates.com





**PRYME LYNE**  
PREMIUM QUALITY CEDAR PRODUCTS

**PRYME LYNE WESTERN RED CEDAR PRODUCTS**

**Western Red Cedar Decking & Dimensional**

**5/4 x 6 DRY (1-1/32"x5-1/2") 3/16" Radius** (Unit size: 135 pcs)

	Product Code	<b>8' (5.00)</b>	<b>10' (6.25)</b>	<b>12' (7.50)</b>	<b>14' (8.75)</b>	<b>16' (10.00)</b>	<b>18' (11.25)</b>	<b>20' (12.50)</b>
	CD546WRCPRD-XX							

**2 x 4 DRY (1-1/2"x3-1/2") 1/8" EE** (Unit Size: 140 pcs)

	Product Code	<b>8' (5.33)</b>	<b>10' (6.67)</b>	<b>12' (8.00)</b>	<b>14' (9.33)</b>	<b>16' (10.67)</b>
	CD24PRS4SD-XX					

**2 x 6 DRY (1-1/2"x5-1/2") 1/8"EE** (Unit Size: 90 pcs)

	Product Code	<b>8' (8.00)</b>	<b>10' (10.00)</b>	<b>12' (12.00)</b>	<b>14' (14.00)</b>	<b>16' (16.00)</b>	<b>18' (18.00)</b>	<b>20' (20.00)</b>
	CD26WRCPRD-XX							

**2 x 8 DRY (1-1/2"x7-3/8") 1/8"EE** (Unit Size: 60 pcs)

	Product Code	<b>8' (10.67)</b>	<b>10' (13.33)</b>	<b>12' (16.00)</b>	<b>14' (18.67)</b>	<b>16' (21.33)</b>	<b>18' (24.00)</b>	<b>20' (26.67)</b>
	CD28WRCPRD-XX							

**4 x 4 GRN D4S (3-17/32"x3-17/32") MIN. 95% FOHC** (Unit Size: 52 pcs)

	Product Code	<b>8' (10.67)</b>	<b>10' (13.33)</b>	<b>12' (16.00)</b>	<b>14' (18.67)</b>	<b>16' (21.33)</b>
	CD44NCPGN-XX					

**6 x 6 GRN D4S (5-1/2"x5-1/2") MIN. 85% FOHC** (Unit Size: 16 pcs)

	Product Code	<b>8' (24.00)</b>	<b>10' (30.00)</b>	<b>12' (36.00)</b>	<b>14' (42.00)</b>	<b>16' (48.00)</b>
	CD66NCPGN-XX					

**'8 x 8 ACUTAL FINISHED SIZE" Rough Sawn GRN** (Unit Size: 18 pcs)


	Product Code	<b>8' (42.67)</b>	<b>10' (53.33)</b>	<b>12' (64.00)</b>	<b>14' (74.67)</b>	<b>16' (85.33)</b>
	CD88RSAPGN-XX					

**FBM Per PC Noted in ( Brackets)**


\$60.00 Upcharge For Broken Lift / Job Lot  
\*Please distribute total split lift charge throughout dimensions on the order\*  
Sidings Do not Apply

**Western Red Cedar Boards**


**1 x 4 S4S - Premium STK (5/8"x3-3/8") 3/16" Radius** (Unit Size: 325 pcs)

	Product Code	<b>8' (2.67)</b>	<b>10' (3.33)</b>	<b>12' (4.00)</b>	<b>14' (4.67)</b>	<b>16' (5.33)</b>
	CD14PRSTKS-XX					


**1 x 6 S4S - Premium STK (5/8"x5-3/8") 3/16" Radius** (Unit Size: 225 pcs)

	Product Code	<b>5' (2.50)</b>	<b>6' (3.00)</b>	<b>8' (4.00)</b>	<b>10' (5.00)</b>	<b>12' (6.00)</b>	<b>14' (7.00)</b>	<b>16' (8.00)</b>
	CD16STS4SGN-XX							

**1 x 8 S4S - Premium STK - (5/8"x7-1/8") 3/16" Radius** (Unit Size: 150 pcs)

	Product Code	<b>8' (5.33)</b>	<b>10' (6.67)</b>	<b>12' (8.00)</b>	<b>14' (9.33)</b>	<b>16' (10.67)</b>
	CD18HLPGN-XX					

**1 x 10 S1S2E Premium STK** (Unit Size: 100 pcs)

 11/16"	Product Code	<b>8' (6.67)</b>	<b>10' (8.33)</b>	<b>12' (10.00)</b>	<b>14' (11.67)</b>	<b>16' (13.33)</b>
	CD110INCGN-XX					


**FBM Per PC Noted in ( Brackets)**

\$60.00 Upcharge For Broken Lift / Job Lot  
\*Please distribute total split lift charge throughout dimensions on the order\*  
Sidings Do not Apply


**WRC Clear Dimensional Stock Program**

**D4S Clear A&Btr 15% B, Eased Edge, KD, R/L 6'-16'**


**1 x 4 Clear**

	Product Code	<b>R/L</b>
	CD14CLKD-RL	


**2 x 4 Clear**

	Product Code	<b>R/L</b>
	CD24CLKD-RL	


**1 x 6 Clear**

	Product Code	<b>R/L</b>
	CD16CLKD-RL	


**2 x 6 Clear**

	Product Code	<b>R/L</b>
	CD26CLKD-RL	

**1 x 8 - Clear**

	Product Code	<b>R/L</b>
	CD18CLKD-RL	

**2 x 8 - Clear**

	Product Code	<b>R/L</b>
	CD28CLKD-RL	





**PRYME LYNE WESTERN RED CEDAR PRODUCTS**

**PRYME LYNE**  
PREMIUM QUALITY CEDAR PRODUCTS



**Western Red Cedar Siding**

**1x4 WRC T&G V-Joint**


<b>5/8" WRC Knotty T&amp;G V4E - Smooth 2 Sides (5/8"x3-1/4" W/3" Face) (unit size 330 pcs)</b>						
	Product Code	Pcs/Bdl	<b>R/L 8'-20' or Pulled to Length</b>		<b>4/5 &amp; 6'</b>	
	CS584TG-XX	6				
<b>5/8" WRC Clear T&amp;G V4E - Smooth 2 Sides (5/8"x3-1/4" W/3" Face)</b>						
	Product Code	Pcs/Bdl	<b>R/L 3'-5'</b>	<b>R/L 6'-20'</b>	<b>PTL 6'</b>	<b>PTL 7' &amp; 8'</b>
	CS584TGC-XX	6				



**1x6 WRC T&G V-Joint & Nickel Gap**

<b>11/16x6 WRC T&amp;G V Joint / Nickle Gap Knotty S2S - Reversible KD (unit size 336)</b>					
	Product Code	Pcs/Bdl	<b>8'-16'</b>	<b>4'-5' or 6'</b>	
	CS1116TGVJNG-XX	6			
<b>5/8" WRC Clear T&amp;G V4E - Smooth 2 Sides (5/8"x5-1/4" W/5" face)</b>					
	Product Code	Pcs/Bdl	<b>R/L 3'-5'</b>	<b>R/L 6'-20'</b>	<b>PTL 8'</b>
	CS586TGC-XX	6			

**\*\*\*NEW\*\*\* 1x8 WRC T&G V-Joint & Nickel Gap**

<b>11/16x8 WRC T&amp;G V Joint / Nickle Gap Knotty S2S - Reversible KD (unit size 224)</b>				
	Product Code	Pcs/Bdl	<b>8'-16'</b>	<b>4'-5' or 6'</b>
	CS11168TGVJNG-XX	6		

Replace **XX** in product code with length  
Pricing subject to change without notice  
Regular shipping terms apply


Nicholson and Cates Limited  
Phone: 1-800-263-6223  
Fax: 905-335-2328  
niccates.com

## Western Red Cedar Siding


### WRC Bevel Siding

**1x8 - 11/16" WRC STK Dry Reversible(11/16"x7-3/8" w/6" exposure) 5/15" tip**

11/18/2022


	Product Code	Pcs/Bdl	<b>R/L 6'-20'</b>
	CS11168B-RL	6	

**1x10 - 11/16" WRC STK Dry Reversible(11/16"x9-1/4" w/8" exposure )**

	Product Code	Pcs/Bdl	<b>R/L 6'-20'</b>
	CS111610B-RL	4	


### WRC Channel Siding

Unit Size 224

<b>1x8 -11/16" WRC STK Dry, Centre "V" on back(6-3/4" exposure)</b>			<b>R/L or PTL</b>
	Product Code	Pcs/Bdl	<b>8'-16'</b>
	CS18CHPAD-XX	6	

### WRC Wavy Edge Siding (Haida)


**1x10 - 11/16"x9-1/4" WRC STK(8" exposure)**

	Product Code	Pcs/Bdl	<b>R/L 6'-20'</b>
	CS111610WE-RL	6	



**PRYME LYNE WESTERN RED CEDAR PRODUCTS**

**Shingles, Shakes & Shims Program**


**WRC Shingles (4"-14" random width )Rebutted/Rejointed (#1 Blue Label / #2 Red Label )**

Shingles	Product Description	Product Code	Coverage/Bundle	Bdls /Lift	Less than Lift	Lift+
	#1 18" Perfection Shingle 7/16" butt	SHIP1-18"	25 sq' @ 5.5" exp	50		
	#2 18" Perfection Shingle 1/2" butt	SHIP2-18"	20 sq' @ 4.5" exp.	50		

**WRC Shakes (4"-14" random width) ( Heavy & Medium are handsplit w/resawn back)**


Shakes	Product Description	Product Code	Coverage / Bundle	Bdls /Lift	Less than Lift	Lift+
	Premium Tapersawn 18" 5/8" butt	SHKT1-18"	20 sq' @ 7.5" exp.	60		
	#2 Premium Tapersawn 18" 5/8" butt	SHKT2-18"	14.5 sq' @ 5.5" exp.	60		
	#1 24" Heavy Shake 3/4"butt	SHKH1-24"	20 sq' @ 10" exp.	45		
	#1 24" Medium Shake 1/2"butt	SHKM1-24"	20 sq' @ 10" exp.	55		

**Ridge Cap**

Caps	Product Description	Product Code	Coverage / Bundle	Bdls /Lift	Less than Lift	Lift+
	18" Perfection Cap	SH1RC-18"	16 lin' @ 5.5" exp.	50		
	18" Tapersawn Cap	SHKRC-18"	12.5 lin' @ 7.5" exp.	50		
	24" Shake Cap	SHKRC-24"	16 lin' @ 10" exp.	40		

**REMEMBER CEDAR BREATHER FOR ALL YOUR ROOFING APPLICATIONS**

**Decorative Wall Shingles**



**Square, Fishcale, Round, Half Cove,  
Diamond, Hexagon, Arrow, Diagonal**

**SPECIAL ORDER, CALL FOR PRICING**

**CCA and Fire Retardant products are also available . Please call for more details & pricing**



**Shingle:**

- Sawn on both sides for a tailored appearance
- Available in 16" Fivex, 18" Perfection or 24" Royal lengths
- Butt thickness is gauged using a stack of shingles to meet the proper measurement



**Tapersawn Shake:**


- Sawn on both sides for a semi-textured look with a stronger shadowline than a shingle
- Most common are 18" and 24" lengths
- Butt thickness ranges from 5/8" to 7/8"



**Handsplit and Resawn Shake:**

- Split face exposed with a naturally rustic appearance, sawn on back
- Most common are 18" & 24" lengths
- Butt thickness ranges from 3/8" to 1" plus

**WRC Lattice (1-3/8" thick x48"x96" 2-1/4" open squares)**

Lattice	Description	Product Code	Lift Price
	4x8 Heavy Duty Square (16pcs/lift )	CDHDSL48-8	

	fbm/pce		fbm/pce		fbm/pce
2 x 4	8 5.333	1 x 2	8 1.333	4 x 4	8 10.667
	10 6.667		10 1.667		10 13.333
	12 8.000		12 2.000		12 16.000
	14 9.333		14 2.333		14 18.667
	16 10.667		16 2.667		16 21.333
2 x 6	8 8.000	2 x 2	8 2.667	6 x 6	8 24.000
	10 10.000		10 3.333		10 30.000
	12 12.000		12 4.000		12 36.000
	14 14.000		14 4.667		14 42.000
	16 16.000		16 5.333		16 48.000
	18 18.000				18 54.000
	20 20.000	1 x 3	8 2.000		20 60.000
			10 2.500		
2 x 8	8 10.667		12 3.000	6 x 8	8 32.000
	10 13.333		14 3.500		10 40.000
	12 16.000		16 4.000		12 48.000
	14 18.667				14 56.000
	16 21.333	1 x 4	8 2.667		16 64.000
	18 24.000		10 3.333		18 72.000
	20 26.667		12 4.000		20 80.000
			14 4.667		
2 x 10	8 13.333		16 5.333	8 x 8	8 42.667
	10 16.667				10 53.333
	12 20.000				12 64.000
	14 23.333				14 74.667
	16 26.667				16 85.333
	18 30.000				18 96.000
	20 33.333				20 106.667
2 x 12	8 16.000	1 1/4 x 6	8 5.000	1 x 6	5 2.500
	10 20.000	(5/4)	10 6.250		6 3.000
	12 24.000		12 7.500		8 4.000
	14 28.000		14 8.750		10 5.000
	16 32.000		16 10.000		12 6.000
	18 36.000		18 11.250		14 7.000
	20 40.000		20 12.500		16 8.000

<p style="text-align: center;"><b>To calculate PC-FBM</b></p> <p style="text-align: center;">Divide the width by 12, times thickness ,times length</p> <p style="text-align: center;"><b>IE: for a 2x4x8</b></p> <p style="text-align: center;"><math>(4 / 12)(x2)(x8)= 5.33\text{fbm}</math></p>
---

## Lumber Conversion Chart