



EVERY DECK TELLS A STORY

A lifetime of memories, 10 with Trex Transcend®

How the go-to house 16 holds up, with Trex Select®

You can do this, 22 with Trex Enhance®

Eco-friendly. 32
It's how we're built

Frame your view, 34 with Trex Railing

Shop Trex Extras 40

Specifications 44













4

WHY TREX?

THE INNOVATOR

We invented a whole new way to enjoy outdoor living with composite decking that's beautiful, durable and sustainable.

MORE THAN DECKING

We offer a family of products—from furniture and railing to pergolas, kitchens and more—to create a truly elevated outdoor space.

OUTPERFORMS WOOD

Unlike wood, our decking resists fading, scratches and almost anything Mother Nature has in mind.

ECO-FRIENDLY


We manufacture decking that's an innovative blend of 95% reclaimed wood and plastic film. And that's just the start of our sustainable way of life.

SUPPORT

Trex offers tools and resources, as well as a network of professionals, to help you design, plan and even build your new deck.

PEACE OF MIND

Our 25-Year Limited Residential and Fade & Stain warranties mean you're covered (and confident) for decades to come.



The greys, browns and reds in nature? We see them too.

And we've curated them into an array of decking colors for every kind of home (and homeowner).

Try a sample to see how our colors complement your home at order.trex.com





























Decking that stands the test of time? Yes please. But even better?
A place that sets the stage for a family's fondest moments.

They wanted a deck that could do it all: stand up to Mother Nature and Father Time without losing its luster. Enter the Trex outdoor living collection, built to create a space that will inspire a lifetime of memories—from first steps to family reunions.



TREX TRANSCEND RAILING

Timeless design you can trust - and tailor. Offering pre-selected looks and custom railing options, Transcend Railing is the perfect complement to any deck style. p. 38



TROPICALS

TREX TRANSCEND COMES IN

EIGHT

NATURAL COLORS

See these streaked and monochromatic families up close with our Color Selector Tool.





EARTH TONES





MADE IN THE SHADE

Why you want it:

With a customizable pergola, you'll build the framework for an outdoor space that's an inviting respite from the sun. $Trex^{\circ} Pergola^{\bowtie}$, p.~42





BRING THE

Why you want it:

Outdoor kitchens offer practically everything you need to cook al fresco.

Trex* Outdoor Kitchens**, p. 42



OUTWIT THE ELEMENTS

Why you want it:

Our innovative RainEscape system drains away rain and snow to keep you dry below. *Trex* RainEscape**, p. 41





Design it virtually

Our Deck Designer Tool helps you handpick every element of your deck and preview it in 3D. Try it today at deckdesigner.trex.com



 $m{4}$






Their home? Destination fun. The gathering spot where everyone (and we mean everyone) hangs out. And that called for a deck that could handle it all.

Trex Select does everything a good deck should: stays splinter-free, keeps its color for decades and cleans up easily (no matter how many hot dogs drop on it). It's the perfect choice for that house on the block that's the life of the party.



TREX SELECT RAILING

Complete your look with our simple choice. Sturdy and safe, Select Railing ensures your view is the focal point. p. 39



EARTH TONES

TREX SELECT
COMES IN

FIVE

COLORS

See them up close with our Color Selector Tool.








Decks with zones to accommodate families of all sizes

Start building yours with our Deck Starter Tool.





LIGHTING, THAT'S INVITING

Why you want it:

Now the party doesn't have to stop when the sun goes down. Energy-efficient LED lighting adds elegant wayfinding to decking, railing and stairs. $Trex^*OutdoorLighting^m$, p.~41







HAVE A SEAT

Why you want it:

Our line of outdoor furniture is durable, sustainable and oh-so comfortable. $Trex^{\circ} Outdoor Furniture^{\bowtie}, p. 42$



GAME FOR A LITTLE FUN?

Why you want it:

Our regulation-size boards are weather resistant and fit for friendly competition. $Trex^{\circ} \ Cornhole^{\bowtie}, \ p. \ 43$








Pride in their home? It's easy to see. Every room, repainted. The kitchen and baths, remodeled. And in their backyard?

They just knew they had to build the perfect deck. When it came to simplicity, Trex Enhance was the obvious choice.

These easy-to-install boards have the look and affordability of real wood, without the worry of sanding or staining. So this family can have an outdoor retreat they will be proud of for years to come.



TREX ENHANCE
DECKING & TREX
SELECT RAILING:
BUDGET-CONSCIOUS
BEAUTY



NATURALS


TREX ENHANCE
COMES IN

SEVEN

COLORS


Get a closer look at the details with our Color Selector Tool.





BASICS





THE PERFECT COVER

Why you want it:

Add a simple wall or divider with our array of beautiful (and durable) lattice patterns. $Trex^* Lattice^*, p. 43$



THE FINISHING TOUCH

Why you want it:

Surround your deck with beauty from every angle. Fascia adds both depth and dimension. The look is stunning and made to last. $\textit{Trex}^{\circ} \textit{Fascia}^{\bowtie}, \, p. \, 40$



Let's crunch some numbers

Estimate your deck materials with our Cost Calculator Tool.





Locate your nearest Trex retailer at find.trex.com

WHY SPOIL THE LOOK?

Why you want it:

You'll never see a screw, just evenly spaced, clean lines with our hidden fastening system. Trex* Hideaway*, p. 40




FASTEN IT FASTER

Why you want it:

Our Universal Fastener Tool makes accurate installation a breeze. Perfect for DIYers.

Universal Fastener Installation Tool, p. 51













Trex Transcend®

TROPICALS

Elevated aesthetics paired with the highest level of performance.









EARTH TONES

A classic look for uncompromising homes.













NATURALS

The beauty of wood with the ease of composite.







Trex Enhance

on treated lumber.

























TrexSelect®

EARTH TONES

The perfect pairing of price

and minimal maintenance.































PRICE \$ - \$\$\$

BOARD PROFILES SOLID SCALLOPED

SCRATCH RESISTANCE ★ - ★★★★

Compare pricing, colors, maintenance costs and durability at compare.trex.com



TREX WILL



Withstand sun, snow & sleet High-performance technology



Clean easily with soap & water

Low-maintenance shell



Let forestfuls of trees grow and grow

Made of 95% recycled materials in the USA



Make good on its promises
25-Year Limited Residential and
Fade & Stain warranties

TREX WON'T



Rot, warp or splinter *Unlike Wood*



Need seasonal sealing or staining *Unlike Wood*



Become food for termites $Unlike\ Wood$



Fade or stain *Unlike Wood*



WHICH TREX AND WHY?

See how our decking lines stack up to wood at compare.trex.com



o



sustainable INNOVATION? we see it too.

At Trex, every day is Earth Day.

Since our founding, Trex has been committed to caring for our planet, one board at a time. It's what drove us to invent composite decking and why,

for nearly 30 years, we've been responsibly manufacturing our decking from 95% reclaimed wood and recycled plastic film. Today, we're proud to say we use some of the most eco-friendly

processes in the country, reclaiming factory waste and eliminating the use of harmful chemicals. After all, it's a big wide world out there. And it all starts in your backyard.

GREEN, BY DESIGN

Learn about our commitment to a greener planet at eco.trex.com







Recycled plastic film






Building a better tomorrow

Reclaimed wood

A sustainable supply chain





OFF-THE-SHELF EASE


Our one-box kit solution includes top and bottom rails, your preferred infill and all necessary hardware for a single section of railing. Available in our most popular colors, kits cut down on the number of steps in your selection and ordering processes. Post sleeve, cap and skirt sold separately.

COCKTAIL RAIL (OPTIONAL)

Add a Transcend or Select deck board on a universal top rail or an aluminum rail to create a flat surface.

RAILS

Top and bottom rails provide stability and structure.



INFILL KIT

Hardware matched

to your infill style

and rail color.

POSTS

Vertical poles can be outfitted with caps and skirts.



Individual columns or full expanses maintain space and safety.

MIX & MATCH

Love a baluster in one style and a post in another? Want to combine different colors? You can customize your railing to fit your perfect vision.










DYNAMIC DUOS

Pick the railing that complements your deck. We've made it easy with our distinct matching looks. See all color-minded pairings at duos.trex.com

If you prefer a unique configuration, find a professional at pros.trex.com









We start with strong, sleek and elegant rails.

Then powder-coat them for a rich, tactile feel in a variety of natural colors. As for the style?

That's up to you, with four unique infills to complement any design aesthetic.



ALUMINUM: posts & rails

Classic White Bronze

OTHER: infill panels

Stainless Steel Mesh

Platinum (Rod Rail only)

TREX SIGNATURE® MESH RAILING

Crosshatching adds an industrial feel to any space.

TREX SIGNATURE®
ROD RAIL

Pairs a sleek profile with modern design.

TREX SIGNATURE® ALUMINUM RAILING


Offers stunning lines and a contemporary feel.




to order custom glass panels to complete your build.

TREX SIGNATURE®
GLASS RAILING

Ensures sweeping views with transparent panels.





When you want the freedom to mix and match balusters, rails and posts, you want Trex Transcend®.

Timeless design you can trust—and tailor. As strong and sturdy as its namesake decking, Transcend puts every color combination within reach. Style your own, or eliminate the guesswork with pre-designed kits.

Transcend® RAILING

COMPOSITE: top & bottom rails, square balusters

Classic White Charcoal Black Path

Rope Tree House Vintage Lantern

ALUMINUM: round balusters





The simple choice for your backyard. Why overthink what works?

Crisp, safe and effective, Trex Select® railing streamlines the design process by combining composite rails in Classic White and round aluminum balusters in Charcoal Black.

TrexSelect®



THE GO-TO TOUCHES



Trex Cladding

View more options at

cladding.trex.com







Learn more at hideaway.trex.com

Trex Fascia

Achieve beauty at every angle with a fascia color to match every decking color (plus: Universal White for a crisp finish).

More edging ideas at fascia.trex.com



Trex®RainEscape®

Our underdeck drainage system keeps drips from the patio below.

And you can shield your deck from moisture with Trex® Protect™, a non-skid, self-adhesive flashing tape.

See all options at rainescape.trex.com



Trex Outdoor Lighting

Our LED lighting integrates into all our decking and railing, taking the outdoors from invisible to inviting.

Shop lighting.trex.com



Trex *Spiral Stairs **

Take your deck to the next level (literally) and add some wow with stairs that are sure to turn heads.

Download a blueprint at spiralstairs.trex.com

Trex® RainEscape® products are manufactured and sold by IBP, LLC under a Trademark License Agreement with Trex Company, Inc. RainEscape® is a federally registered trademark of IBP, LLC. A 20-year Limited Warranty is provided by the manufacturer.

For the terms of warranties on Trex® OutdoorLighting™, see page 50 or visit trex.com. Cree® is a registered trademark of Cree, Inc.

THE WOW TOUCHES



Trex Outdoor Furniture

A premium version of leave-themoutside tables, chairs, benches, swings and more.


Shop the collections at furniture.trex.com



Trex Pergola*

A shady, sturdy retreat that's virtually upkeep-free. Talk about a room with a view.

See more at pergola.trex.com



Trex Outdoor Kitchens

Bring the joy of cooking outside (and your guests will follow).

See all the colors at outdoorkitchens.trex.com



Trex®Lattice®

The most classic (and durable) way to add privacy, utility and dimension deckside.


Learn more at lattice.trex.com



Trex Cornhole

Regulation size and surfaced, you can leave the set (and the bags) out all year long.

Pick yours at cornhole.trex.com



Cocktail Rail

Want an additional space for drinks, planters and more? Create the perfect flat surface with a Transcend or Select deck board.

PRODUCT SPECIFICATIONS

Trex Decking & Fascia

PROFILE	D	ESCRIPTION	ITEM #	COLORS
	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Tropicals Transcend Tropicals Transcend Tropicals	XX010612TS01 XX010616TS01 XX010620TS01	IM, TT, HG, SR, LR
1" Square-Edge Board	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Earth Tones Transcend Earth Tones Transcend Earth Tones	XX010612T2S01 XX010616T2S01 XX010620T2S01	GP, RS, VL
Actual dimensions: Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm)	7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Select Select Select	XX010612SS01 XX010616SS01 XX010620SS01	PG, WG, SD, WB, MB
Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Naturals Enhance Naturals Enhance Naturals	XX010612E2S01 XX010616E2S01 XX010620E2S01	FW, RH, TS, CB
	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Basics Enhance Basics Enhance Basics	XX010612E2S01 XX010616E2S01 XX010620E2S01	CS, BD, SD
	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Tropicals Transcend Tropicals Transcend Tropicals	XX010612TG01 XX010616TG01 XX010620TG01	IM, TT, HG, SR, LR
1" Grooved-Edge Board	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Earth Tones Transcend Earth Tones Transcend Earth Tones	XX010612T2G01 XX010616T2G01 XX010620T2G01	GP, RS, VL
Actual dimensions: Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm)	7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Select Select Select	XX010612SG01 XX010616SG01 XX010620SG01	PG, WG, SD, WB, MB
Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Naturals Enhance Naturals Enhance Naturals	XX010612E2G01 XX010616E2G01 XX010620E2G01	FW, RH, TS, CB
	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Basics Enhance Basics Enhance Basics	XX010612E2G01 XX010616E2G01 XX010620E2G01	CS, BD, SD
1" x 8" Fascia Board	1 x 8 x 12' 1 x 8 x 12'	Transcend Tropicals Transcend Earth Tones	XX010812TS01 XX010812T2S01	IM, TT, HG, SR, LR GP, RS, VL
1 X o Fascia Dualu Actual dimensions:	1 x 8 x 12'	Select	XX010812SS01	PG, WG, SD, WB, MB
Transcend, Enhance, Select, Universal White: .56 in x 7.25 in x 12 ft (14 mm x 184 mm x 365 cm)	1 x 8 x 12' 1 x 8 x 12'	Enhance Naturals Enhance Basics	XX010812E2S01 XX010812E2S01	FW, RH, TS, CB CS, BD, SD
	1 x 8 x 12'	Universal White	WW010812ES01	WW
1" x 12" Fascia Board	1 x 12 x 12' 1 x 12 x 12'	Transcend Tropicals Transcend Earth Tones	XX011212TS01 XX011212T2S01	IM, TT, HG, SR, LR GP, RS, VL
Actual dimensions:	1 x 12 x 12'	Select	XX011212SS01	PG, WG, SD, WB, MB
Transcend, Enhance, Select, Universal White: .56 in x 11.375 in x 12 ft (14 mm x 288 mm x 365 cm)	1 x 12 x 12' 1 x 12 x 12'	Enhance Naturals Enhance Basics	XX011212E2S01 XX011212E2S01	FW, RH, TS, CB CS, BD, SD
	1 x 12 x 12'	Universal White	WW011212ES01	WW
	2 x 4 x 16'	Transcend Tropicals	XX020416TS01	IM, TT, HG, SR, LR
2" Square-Edge Board Actual dimensions: Transcend 2x4: 1.3 in x 3.4 in x 16 ft (33 mm x 86 mm x 487 cm) Transcend & Select 2x6: 1.3 in x 5.5 in x 12 ft / 16 ft / 20 ft	2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Transcend Tropicals Transcend Tropicals Transcend Tropicals	XX020612TS01 XX020616TS01 XX020620TS01	IM, TT, HG, SR, LR
(33 mm x 86 mm x 467 cm) Transcend & Select 2x6: 1.3 in x 5.5 in x 12 ft / 16 ft / 20 ft (33 mm x 140 mm x 365 cm / 487 cm / 609 cm)	2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Select Select Select	XX020612SS01 XX020616SS01 XX020620SS01	PG, SD, WB, MB

XX = COLOR PREFIX

IM Island Mist TT Tiki Torch HG Havana Gold GP Gravel Path RS Rope Swing

VL Vintage Lantern

PG Pebble Grey WG Winchester Grey

MB Madeira

SD Saddle WB Woodland Brown FW Foggy Wharf RH Rocky Harbor TS Toasted Sand CB Coastal Bluff


CS Clam Shell

BD Beach Dune SD Saddle WW Wood Grain White

TREX RAILING—three lines, endless possibilities

Please read the system descriptions at the top of each product section so you can choose exactly which railing components you need to complete your design. For additional guidance, the chart below depicts each railing system's components.





DESCRIPTION

Trex Post Sleeves, Caps & Skirts

These components can be used as steps 1 & 2 for all Trex railing lines.

(1)	Post Sleeve Each 4x4 and 6x6 post sleeve fits over a 4x4 pressure treated post or equivalent post mount.		4" x 4" x 39" Post Sleeve 4" x 4" x 108" Post Sleeve	XX040439APS XX0404108APS
	Dimensions are nominals. See below for actuals and metrics. [4.45 in \times 4.45 in \times 40 in (113 mm \times 113 mm \times 101 cm) external dimensions] [4.45 in \times 4.45 in \times 108 in (113 mm \times 113 mm \times 274 cm) external dimensions] [5.5 in \times 5.5 in \times 39 in (139 mm \times 139 mm \times 990 mm) external dimensions] [5.5 in \times 5.5 in \times 108 in (139 mm \times 139 mm \times 274 cm) external dimensions]		6" x 6" x 39" Post Sleeve 6" x 6" x 108" Post Sleeve	WT060639APS WT0606108APS
(2a)	Post Sleeve Cap Also available with LED lighting. See page 50. Dimensions are nominals. See below for actuals and metrics. [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]		Flat 4" x 4" Post Sleeve Cap Flat 6" x 6" Post Sleeve Cap	PXXSQCAP4X4 PWTSQCAP6X6
2 b	Post Sleeve Skirt Dimensions are nominals. See below for actuals and metrics. [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]		4" x 4" Post Sleeve Skirt 6" x 6" Post Sleeve Skirt	PXXSKIRT4X4 PWTSKIRT6X6
ACCESSORIES	COMPONENT		DESCRIPTION	ITEM #
	Surface Mount Post	(II	Aluminum Surface Mount Post for 36" (914 mm) Rail Height (1/box)	ALPOSTMOUNT36
	For use with 4x4 composite post sleeve. Actual external dimensions of insert:		Aluminum Surface Mount Post for 42" (1066 mm) Rail Height (1/box)	ALPOSTMOUNT42
	3.75 in \times 3.75 in \times 7 in (95 mm \times 95 mm \times 177 mm) 3.75 in \times 3.75 in \times 7 in (95 mm \times 95 mm \times 177 mm)	Q	Surface Mount Post Hardware—Wood (10 kits/box)	ALPOSTHWDECK
	Joist Mount Post For use with 4x4 composite post sleeve. Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)		Aluminum Joist Mount Post for use with all Trex railing heights (1/box)	CPJMNTPOST63

XX = COLOR PREFIX

WT Classic White BK Charcoal Black

GP Gravel Path RS Rope Swing

TH Tree House VL Vintage Lantern

COMPONENT


Trex Signature® Railing

Choose either aluminum posts or composite post sleeves, caps and skirts for steps 1 & 2. Pair with a rail kit (step 3) and infill panel (step 4) if needed.

STEP	DESCRIPTION	ITEM #	DESCRIPTION	ITEM #
1+2	Aluminum Posts			
	Can only be used within the Trex Signature line. Trex Signat	ure aluminum posts fulfill steps	1 & 2. If using composite post sleeves, refer to page 45.	
	2.5" x 2.5" x 37" Aluminum Post—Horizontal 2.5" x 2.5" x 43" Aluminum Post—Horizontal	XXAL252537RCAP XXAL252543RCAP	IRC Aluminum Mounting Plate & Hardware For use with all Trex 2.5" Surface Mount Aluminum Posts.	ALPOSTHWDECK
	2.5" x 2.5" x 53" Aluminum Post—Stair Comes with cap and skirt.	XXAL252553RCAP	Concrete Post Mount Kit	ALPOSTHWCONC
	2.5" x 2.5" x 36" Crossover Post—Horizontal 2.5" x 2.5" x 42" Crossover Post—Horizontal	XXAL252536RCCP XXAL252542RCCP	2.5" x 2.5" x 63" Aluminum Joist Mount Post Comes with cap and skirt.	XXJMNTPOST63
	Comes with skirt.		Trex Signature Fascia Mount Kit - wood framing For use with Joist Mount Trex Signature Railing Post only.	XXFMNTWOOD
	2.5" x 2.5" x 37" Line Post with Premounted Brackets 2.5" x 2.5" x 37" End Post with Premounted Brackets 2.5" x 2.5" x 37" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Line Post with Premounted Brackets 2.5" x 2.5" x 43" End Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets Comes with cap and skirt.	BKAL252537RCAPLINE BKAL252537RCAPEND BKAL252537RCAPCNR BKAL252543RCAPLINE BKAL252543RCAPEND BKAL252543RCAPCNR	Dimensions are nominals. See below for actuals and metrics. [2.5 in x 2.5 in x 36 in (63 mm x 63 mm x 914 mm) actual dimensions] [2.5 in x 2.5 in x 37 in (63 mm x 63 mm x 939 mm) actual dimensions] [2.5 in x 2.5 in x 42 in (63 mm x 63 mm x 106 cm) actual dimensions] [2.5 in x 2.5 in x 43 in (63 mm x 63 mm x 109 cm) actual dimensions] [2.5 in x 2.5 in x 53 in (63 mm x 63 mm x 134 cm) actual dimensions] [2.5 in x 2.5 in x 63 in (63 mm x 63 mm x 160 cm) actual dimensions]	

STEP	DESCRIPTION	ITEM #	DESCRIPTION	ITEM #
3	Rail & Baluster Kit			

Available III W1, B2, and BK.			
6' x 36" Rail Kit w. Round Balusters—Horizontal	BKAR0636HRK	6' x 36" Rail Kit w. Square Balusters—Horizontal	XXAS0636HRK
6' x 36" Rail Kit w. Round Balusters—Stair	BKAR0636SRK	6' x 36" Rail Kit w. Square Balusters—Stair	XXAS0636SRK
8' x 36" Rail Kit w. Round Balusters—Horizontal	BKAR0836HRK	8' x 36" Rail Kit w. Square Balusters—Horizontal	XXAS0836HRK
8' x 36" Rail Kit w. Round Balusters—Stair	BKAR0836SRK	8' x 36" Rail Kit w. Square Balusters—Stair	XXAS0836SRK
6' x 42" Rail Kit w. Round Balusters—Horizontal	BKAR0642HRK	6' x 42" Rail Kit w. Square Balusters—Horizontal	XXAS0642HRK
6' x 42" Rail Kit w. Round Balusters—Stair	BKAR0642SRK	6' x 42" Rail Kit w. Square Balusters—Stair	XXAS0642SRK
8' x 42" Rail Kit w. Round Balusters—Horizontal	BKAR0842HRK	8' x 42" Rail Kit w. Square Balusters—Horizontal	XXAS0842HRK
8' x 42" Rail Kit w. Round Balusters—Stair	BKAR0842SRK	8' x 42" Rail Kit w. Square Balusters—Stair	XXAS0842SRK
Dimensions are nominals. See below for actuals and metrics. [4' x 36": 48 in x 36 in (122 cm x 914 mm) actual dimensions] [6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] [8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions] [4' x 42": 48 in x 42 in (122 cm x 106cm) actual dimensions] [6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [8' x 42": 96 in x 42 in (182 cm x 106 cm) actual dimensions]		4' x 36" Assembled Panel (Square)—Horizontal 6' x 36" Assembled Panel (Square)—Horizontal 8' x 36" Assembled Panel (Square)—Horizontal 4' x 42" Assembled Panel (Square)—Horizontal 6' x 42" Assembled Panel (Square)—Horizontal 8' x 42" Assembled Panel (Square)—Horizontal Does not include hardware.	BKAS0436HRPNL BKAS0636HRPNL BKAS0836HRPNL BKAS0442HRPNL BKAS0642HRPNL BKAS0842HRPNL



(includes top rail, bottom rail, rods and mounting and support hardware)

(includes top rail, bottom rail, balusters and mounting and support hardware)

Available in WT R7 and RK

XX = COLOR PREFIX

(merades top ram, settern ram, reas and meaning and support nam	arrai cy	
6' x 36" Black Rails & Platinum Rods Kit—Horizontal 6' x 36" Black Rails & Platinum Rods Kit—Stair 8' x 36" Black Rails & Platinum Rods Kit—Horizontal 8' x 36" Black Rails & Platinum Rods Kit—Stair	BKPLROD0636HRK BKPLROD0636SRK BKPLROD0836HRK BKPLROD0836SRK	6' x 42" Black Rails & Black Rods Kit—Horizontal 6' x 42" Black Rails & Black Rods Kit—Stair 8' x 42" Black Rails & Black Rods Kit—Horizontal 8' x 42" Black Rails & Black Rods Kit—Stair
6' x 36" Bronze Rails & Platinum Rods Kit—Horizontal 6' x 36" Bronze Rails & Platinum Rods Kit—Stair 8' x 36" Bronze Rails & Platinum Rods Kit—Horizontal 8' x 36" Bronze Rails & Platinum Rods Kit—Stair	BZPLROD0636HRK BZPLROD0636SRK BZPLROD0836HRK BZPLROD0836SRK	36" Rod Rail Vertical Kit—Horizontal 36" Rod Rail Vertical Kit—Stair 42" Rod Rail Vertical Kit—Horizontal 42" Rod Rail Vertical Kit—Stair Use as an accessory for cut rod rail sections. Available in BK and PL.
6' x 36" Black Rails & Black Rods Kit—Horizontal 6' x 36" Black Rails & Black Rods Kit—Stair 8' x 36" Black Rails & Black Rods Kit—Horizontal 8' x 36" Black Rails & Black Rods Kit—Stair	BKBKROD0636HRK BKBKROD0636SRK BKBKROD0836HRK BKBKROD0836SRK	Dimensions are nominals. See below for actuals and metrics. [6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] [8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions] [6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions]
6' x 42" Black Rails & Platinum Rods Kit—Horizontal 6' x 42" Black Rails & Platinum Rods Kit—Stair 8' x 42" Black Rails & Platinum Rods Kit—Horizontal 8' x 42" Black Rails & Platinum Rods Kit—Stair	BKPLROD0642HRK BKPLROD0642SRK BKPLROD0842HRK BKPLROD0842SRK	
6' x 42" Bronze Rails & Platinum Rods Kit—Horizontal 6' x 42" Bronze Rails & Platinum Rods Kit—Stair 8' x 42" Bronze Rails & Platinum Rods Kit—Horizontal 8' x 42" Bronze Rails & Platinum Rods Kit—Stair	BZPLROD0642HRK BZPLROD0642SRK BZPLROD0842HRK BZPLROD0842SRK	




STEP COMPONENT DESCRIPTION ITEM #

3

Mesh Rail Kit

(includes top rail, bottom rail, foot block, verticals, anti-rattle gaskets, hardware and bracket pack) Available in BK and BZ. Mesh infill sold separately.



6' x 36" Mesh Railing Kit—Horizontal XXA0636PNLHRK 6' x 36" Mesh Railing Kit—Stair XXA0636PNLSRK 8' x 36" Mesh Railing Kit—Horizontal XXA0836PNLHRK XXA0836PNLSRK 8' x 36" Mesh Railing Kit—Stair 6' x 42" Mesh Railing Kit—Horizontal XXA0642PNLHRK 6' x 42" Mesh Railing Kit—Stair XXA0642PNLSRK 8' x 42" Mesh Railing Kit—Horizontal XXA0842PNLHRK 8' x 42" Mesh Railing Kit—Stair XXA0842PNLSRK 36" Mesh Railing Vertical Kit—Horizontal XX36MSHHVERTK 36" Mesh Railing Vertical Kit—Stair XX36MSHSVERTK 42" Mesh Railing Vertical Kit—Horizontal XX42MSHHVERTK 42" Mesh Railing Vertical Kit—Stair XX42MSHSVERTK Use as an accessory for cut mesh railing sections.

3

Glass Rail Kit

(includes top rail, bottom rail, foot block, verticals, hardware and bracket pack) Available in BK and WT. Glass infill sold separately. Visit glass.trex.com to order custom glass panels to complete your build



[6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions]

[8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions


6' Glass Railing Kit—Horizontal

Dimension above is nominal. See below for actual and metric. [6': 72 in (182 cm) actual dimension]

XXA06HGLRK

Mesh Panel

(includes stainless steel mesh panel) For use with Trex Signature Mesh Rail Kit.



6' x 36" Stainless Steel Mesh Panel—Horizontal 8' x 36" Stainless Steel Mesh Panel—Horizontal 8' x 42" Stainless Steel Mesh Panel—Horizontal Universal 316 Stainless Steel Mesh Panel—Stair

SSMESH0636HZ SSMESH0836HZ SSMESH0842HZ SSMESHUNIVST

47

Dimensions are nominals. See below for actuals and metrics. [6' \times 36": 64 in \times 32.375 in (162 cm \times 822 mm) actual dimensions] [8' x 36": 88 in x 32.375 in (223 cm x 822 mm) actual dimensions] [8' x 42": 88 in x 38.375 in (223 cm x 974 mm) actual dimensions] [Universal 316: 108.1875 in x 36.1875 in (274 cm x 919 mm) actual dimensions]

Glass Panel

For use with Trex Signature Glass Rail Kit. Visit glass.trex.com to order custom glass panels to complete your build. for 36" Rail Height—Horizontal for 42" Rail Height—Horizontal

ACCESSORIES	COMPONENT	ITEM #	COMPONENT	ITEM #
([[]])	Signature Bracket Template—Horizontal (36" and 42") - Composite Sleeve Signature Bracket Template—Horizontal (36" and 42") - 2.5" Aluminum Post	SIGTEMP4X4SLEEVE SIGTEMPIRCPOST	Fixed Bracket—Horizontal (4/pack) Fixed Bracket—Stair (4/pack) Tabless Fixed Bracket—Horizontal (4/pack) Swivel Bracket—Horizontal (2/pack—1 top, 1 bottom) Swivel Bracket—Stair (2/pack—1 top, 1 bottom)	XXFHBKTAL XXFSBKTAL XXFHBKTALPNL XXSWHBKTAL XXSWSBKTAL
	Aluminum Foot Block	XXALFTBLK	2.5" Crossover Bracket—Horizontal (1/pack)	XX25FHCBKTAL
	Touch-up Pen	XXTOUCHUPPEN	2.5" Swivel Crossover Bracket—Stair (1/pack)	XX25RCSWSCBKTAL
	Cocktail Rail Bracket (10/pack)	XXCTBKTAL10PK	Compound Swivel Bracket (2/pack–1 top, 1 bottom)	XXCPDSWBKTAL

XX = COLOR PREFIX

WT Classic White BZ Bronze BK Charcoal Black PL Platinum WT Classic White BZ Bronze BK Charcoal Black SS Stainless Steel

BKBKROD0642HRK

BKBKROD0642SRK

BKBKROD0842HRK

BKBKROD0842SRK XX36RODHVERTK

XX36RODSVERTK

XX42RODHVERTK

XX42RODSVERTK

Transcend is either a 3-step or 5-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2), then choose a rail kit (step 3).

STEP	COMPON	ENT	DESCRIPTION	ITEM #	COLOR
3	Rail & Square Composite Baluster Kit (includes Crown top rail, Universal bottom rail,		6' x 36" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair	XX0636HRK WT0636SRK XX0836HRK XX0836SRK	WT, BK, VL
	iniciades Calver top Tair, orniversal potential, square composite balusters, baluster spacers, adjustable foot block and mounting hardware) Color option indicates rails and balusters.		6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair	XX0642HRK XX0842HRK XX0842SRK	WT, BK, VL
3	Rail & Round Aluminum Baluster Kit		6' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair	XXRD0636HRK XXRD0836HRK XXRD0836SRK	WT, BK, VL
	Baluster Kit (includes Crown top rail, Universal bottom rail, round aluminum balusters, baluster spacers, adjustable foot block and mounting hardware) Color option indicates rails. Round aluminum		6' x 42" Rail & Baluster Kit—Horizontal	XXRD0642HRK	



Cocktail Rail & Round Aluminum Baluster Kit

Color option indicates rails. Round aluminum

(includes Universal top/bottom rails, round aluminum balusters, baluster spacers, adjustable foot block and mounting hardware)

Round aluminum balusters come in BK . Only Trex Transcend and Select deck boards can be used for cocktail rail application.



6' x 36" Cocktail Rail & Baluster Kit—Horizontal WTRD0636HRKCKTL 8' x 36" Cocktail Rail & Baluster Kit—Horizontal WTRD0836HRKCKTL WT WTRD0836SRKCKTL 8' x 36" Cocktail Rail & Baluster Kit—Stair

XXRD0842HRK

XXRD0842SRK

XXCROWNTR06

XXCROWNTR08

XXUNIVTBR06

XXUNIVTBR08

WT, BK, VL

WT, BK, GP,

RS, TH, VL

Dimensions are nominals. See below for actuals and metrics. 6' x 36": 67.5 in x 36 in (171 cm x 914 mm) 6' x 42": 67.5 in x 42 in (171 cm x 106 cm) 8' x 36": 91.5 in x 36 in (232 cm x 914 mm) 8' x 42": 91.5 in x 42 in (232 cm x 106 cm)

8' x 42" Rail & Baluster Kit—Horizontal

8' x 42" Rail & Baluster Kit—Stair

6' Crown Top Rail

8' Crown Top Rail

(20/pack)

6' Universal Top/Bottom Rail

8' Universal Top/Bottom Rail





Bottom Rail

Balusters See chart below for number of balusters needed to complete each railing section.

Composite balusters are available in WT. BK. GP. RS. TH and VL. Aluminum balusters are available in WT, BZ and BK.



BALUSTER	ORIENTATION	6' SECTION	8' SECTION
Square	Horizontal	13	18
composite	Stair	11	15
Round	Horizontal	15	20
aluminum	Stair	12	16

6' Universal Top/Bottom Rail	XXUNIVTBR06	WT, BK, GP,
8' Universal Top/Bottom Rail	XXUNIVTBR08	RS, TH, VL
Square Composite Balusters for 36" Rail Height (16/pack)	XX020230SBK	WT, BK, GP,
Square Composite Balusters for 42" Rail Height (16/pack)	XX020236SBK	RS, TH, VL
Round Aluminum Balusters for 36" Rail Height (20/pack) Round Aluminum Balusters for 42" Rail Height	XX020230SBK XX020236SBK	WT, BZ, BK

Dimensions are nominals. See below for actuals and metrics. 6' Rail: 67.5 in (171 cm) 8'Rail: 91.5 in (232 cm) Composite 36" Baluster: 1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm) Composite 42" Baluster: 1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm) Aluminum 36" Baluster: .75 in x 30.25 in (19 mm x 768 mm) Aluminum 42" Baluster: .75 in x 36.25 in (19 mm x 920 mm)



ACCESSORIES	COMPONENT	ITEM #	COMPONENT	ITEM #
3 to the second of the fill of the second of the fill of the second of t	Transcend Bracket Template—Horizontal (36" and 42") - Composite Sleeve	TSCTEMP4X4SLEEVE	Mounting Hardware for Cut Rails—Horizontal Mounting Hardware for Cut Rails—Stair Transcend RSB Bracket Pack—Horizontal (24/box) Transcend RSB Bracket Pack—Stair (24/box)	XXHZACCYKIT XXSTACCYKIT TSHBRACKET TSSBRACKET
	Foot Block	XXFTBLKPC	O Degree Rail Gasket Pack—Horizontal O Degree Rail Gasket Pack—Stair 22.5 Degree Gasket Pack	XX00HGASK XX00SGASK XX22HGASK
-0			45 Degree Birdsmouth Gasket Pack (for 4x4) 45 Degree Gasket Pack (for 6x6)	XX45RSBADAPK WT45HGASK

Trex Select® Railing

Trex Select is a 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2) and a rail kit (step 3).

STEP	cc	MPONENT	DESCRIPTION		ITEM #
3	Rail & Round Aluminum Baluster Kit (includes top rail, bottom rail, round aluminum balusters, adjustable foot block and hardware pack) Available in WT rails with		6' x 36" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair		WTRD0636HSELK WTRD0636SSELK WTRD0836HSELK WTRD0836SSELK
	aluminum balusters in BK. Dimensions are nominals. See below for actuals and metrics. 6' x 36": 67.5 in x 36 in (171 cm x 914 mm) 6' x 42": 67.5 in x 42 in (171 cm x 106 cm) 8' x 36": 91.5 in x 36 in (232 cm x 914 mm) 8' x 42": 91.5 in x 42 in (232 cm x 106 cm)		6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair		WTRD0642HSELK WTRD0842HSELK WTRD0842SSELK
	ACCESSORIES	СОМРО	NENT		ITEM #
		Mounting Hardware for Cut Rails—Horizontal (10 Mounting Hardware for Cut Rails—Stair (10 kits/l	•	BKENHZBKT BKENSTBKT	
		Trex Select 8' Aluminum Rail Stiffener		SELALRAILSTIF	FENER

XX = COLOR PREFIX

Composite Colors

WT Classic White GP Gravel Path BK Charcoal Black RS Rope Swing

TH Tree House VL Vintage Lantern Aluminum Colors WT Classic White B7 Bronze

BK Charcoal Black

XX = COLOR PREFIX

Composite Colors

WT Classic White GP Gravel Path BK Charcoal Black RS Rope Swing TH Tree House VL Vintage Lantern

COMPONENT & DESCRIPTION

Flat Post Cap Light

- » 4" x 4" LED Post Cap Light [4.55 in x 4.55 in (115 mm x 115 mm) actual internal dimensions] Use with Trex 4 in Composite Railing Posts
- » 5.5 ft (1.67 m) Male LightHub® Lead



BKSQLEDCAP4X4C WTSQLEDCAP4X4C THSQLEDCAP4X4C VLSQLEDCAP4X4C GPSQLEDCAP4X4C RSSQLEDCAP4X4C

ITEM #

Aluminum Post Cap Light

- » 2.5" x 2.5" LED Aluminum Post Cap Light [2.6 in x 2.6 in (66 mm x 66 mm) actual internal dimensions] Use with Trex 2.5 in Aluminum Railing Posts
- » 5.5 ft (1.67 m) Male LightHub® Lead

» 5.5 ft (1.67 m) Male LightHub® Lead





BKLAMPLEDC BZLAMPLEDC WTLAMPLEDC

BKALCAPLED25

BZALCAPLED25

WTALCAPLED25

Aluminum Wedge Deck Rail Light

- » LED Wedge Deck Rail Light [1.875 in wide x 3 in high (47 mm x 76 mm) actual dimensions] Compatible with all Trex Railing Posts
- » 5.5 ft (1.67 m) Male LightHub® Lead



BKALPOSTLAMPLED BZALPOSTLAMPLED WTALPOSTLAMPLED

Aluminum Stair Riser Light

» 4 LED Riser Lights [1.25 in (31 mm) OD]

» LED Deck Rail Light

[2.75 in (69 mm) OD]

- » 5.5 ft (1.67 m) Male LightHub® Lead



BKRISERLED4PKC BZRISERLED4PKC WTRISERLED4PKC

Recessed Deck Light

- » 4 LED Recessed Lights
- [1 in (25 mm) OD]
- » 5.5 ft (1.67 m) Male LightHub® Lead



RECESSLED4PKC

ACCESSORIES

Transformer with Timer

- » Output Voltage: 12VDC
- » Output Power: 100W or 30W
- » Output Current: 8.3A or 2.5A » Photo-Activated Timer
- » 20 ft (6.09 m) LightHub® Wire Extension Cable





8.3A, 100W: DIMMABLE 83DLTRANSFORMERCC 2.5A, 30W: 25DLTRANSFORMER

ITEM #

Multi-zone Transformer Adapter



DL5TFSPLIT1PK

Dimmer

» Single Channel with Remote

Forstner Bit

- » Pack of 6
- » 1 in (25 mm)

LightHub® Accessories

- » 3-Way Splitter
- » 6-Way Splitter
- » 5 ft (1.52 m) Wire Extension Cable » 10 ft (3.04 m) Wire Extension Cable
- » 20 ft (6.09 m) Wire Extension Cable
- » 40 ft (12.19 m) Wire Extension Cable
- » 60 ft (18.28 m) Wire Extension Cable
- » Female to Female Adapter



DLDIMMER

DLBIT6PK



DL3SPLIT6PK DL6SPLIT4PK DL5FTWR4PK DL10FTWR4PK DL20FTWR4PK DL40FTWR2PK DL60FTWR1PK DLFADAP6PK

Trex Aluminum ADA-Compliant Handrail

All Trex ADA handrail components are made of powder-coated aluminum. For detailed installation instructions, visit trex.com/2022

COMPONENT	ITEM #
	·
1.375 in x 8 ft (34 mm x 243 cm) Hand Rail	XXALADARAIL8
Wall Return 90°	XXALADA90WR2G
Wall Mount	XXALADAWMNT2G
Corner Mount	XXALADAICORNER2G
Post Return ("Candy Cane")	XXALADA180CCANE
5° Elbow	XXALADA05ELB
31° Elbow	XXALADA31ELB
34° Elbow	XXALADA34ELB
36° Elbow	XXALADA36ELB
90° Inside/Outside Elbow	XXALADA90ELB2G
Adjustable ADA Elbow	XXALADAADJELB
Straight 4 in (101 mm) Internal Connector	XXALINTCONN
Inline Rail Termination Adapter	XXALADAINLINE
Rail End Cap	XXALADACAP
Aluminum Collar	XXALADACLR

1 36° Elbow



3 Aluminum Collar

4 Wall Return 90°



5 Hand Rail



Trex Aluminum Gates

COMPONENT	DESCRIPTION	ITEM #
Gate Rail Kit	36" Rail Height, Square Balusters, Adjustable up to 48" wide opening	XX36SQADJGATE
	36" Rail Height, Round Balusters, Adjustable up to 48" wide opening	XX36RDADJGATE
Available in all aluminum	42" Rail Height, Square Balusters, Adjustable up to 48" wide opening	XX42SQADJGATI
colors (WT, BZ and BK).	42" Rail Height, Round Balusters, Adjustable up to 48" wide opening	XX42RDADJGATE
When ordering, refer to		
prefix codes at the bottom	[Actual height 36" Rail: 36 in (914 mm); 42" Rail: 42 in (106 cm)	
of this page.	Actual width is 475 in (120 cm) but can be cut to fit any width 1	

Hardware Pack

Hardware for attachment to wood post with composite sleeve or aluminum posts

2 Adjustable Self-Closing Hinges 1 Locking Hasp With Keys



BKGATFHW





Trex Hideaway® Hidden Fastening System

COMPONE	NT	DESCRIPTION	ITEM #
Universal Fastener (glass-filled nylon)	The state of the s	50 sq. ft (4.6 sq. m) box 500 sq. ft (46.5 sq. m) bucket	UNIVCONCLIP DA00002
Universal Starter Clip		400 sq. ft (37 sq. m) bag	UNIVSTARTCLIP
Router Bit		Router Bit	ROUTBIT
Universal Fastener Installation Tool	*	Universal Fastener Installation Tool	ONESTEPTL



51

XX = COLOR PREFIX

WT Classic White BZ Bronze BK Charcoal Black Trex Company, Inc. (hereinafter "Trex") warrants to the original purchaser ("Purchaser") that, for the period of time set forth in the following sentence, under normal use and service conditions, Trex® product (the "Product") shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay. The term of such warranty shall be twenty-five (25) years from the date of original purchase for a residential application, and ten (10) years from the date of original purchase for a commercial application. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective Product or refund the portion of the purchase price paid by Purchaser for such defective Product (not including the cost of its initial installation).

For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

Notwithstanding the foregoing, (a), the term of the warranty for the LED lights and housing for Trex DeckLighting[™] shall be seven (7) years, the term of the warranty for the LED lights and housing for Trex LandscapeLighting[™] shall be five (5) years, the term of the warranty for the dimmer, timer and transformer for both shall be three (3) years, and the term of the warranty for the motion controller for both shall be one (1) year, in each case provided that a Trex transformer is used (with no warranty on any components if a Trex transformer is not used), and any other parts or accessories shall not be warranted; (b) with respect to hardware for the Trex Surroundings gate (gate frame, hinges and screws), the term of the warranty shall be five (5) years, (c) with respect to Trex Decorative Balusters, the term of the warranty covering the paint coating shall be ten (10) years, and shall be prorated in the following manner: 100% replacement for the first five (5) years; and 50% replacement for the next five (5) years, (d) the term of the warranty for Transcend Product used as outdoor cladding shall be twenty-five (25) years for both a residential application and a commercial application, and (e) this warranty shall not apply to Trex Elevations® steel deck framing, Trex Signature® aluminum railing and TrexTrim™ (which each have separate warranties).

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property spon which the Product was originally installed. With respect to a

commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Product was originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc.
Customer Relations
160 Exeter Drive
Winchester, VA 22603-8605

Trex does not warrant against and is not responsible for any condition attributable to: (1) improper installation of Product and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of Product beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign substances (such as dirt, grease, oil, etc.), or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Product; (6) improper handling, storage, abuse or neglect of Product by Purchaser, the transferee or third parties; or (7) ordinary wear and tear.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Product other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCT SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCT OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2019 Trex Company, Inc.



TREX TRANSCEND®, TREX ENHANCE®, TREX SELECT® AND TREX® UNIVERSAL FASCIA LIMITED FADE & STAIN WARRANTY

For the term set forth below, Trex Company, Inc. (hereinafter "Trex") warrants to the original end-user purchaser (the "Purchaser") that Trex Transcend decking, porch or fascia, Trex Enhance decking or fascia, Trex Select decking or fascia or Trex Universal Fascia, as the case may be (the "Product") will perform, under normal use and service conditions, as follows:

Term of Warranty: The term of this warranty shall begin on the date of original purchase, and shall end (1) twenty-five (25) years thereafter for a residential application of the Product, and (2) ten (10) years thereafter for a commercial application of the Product. Notwithstanding the foregoing, the term of this warranty for Transcend Product used as outdoor cladding shall be twenty-five (25) years for both a residential application and a commercial application.

Residential/Commercial Application: For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

Fade Resistance: The Product shall not fade in color from light and weathering exposure as measured by color change of more than 5 Delta E (CIE) units.

The Product is designed to resist fading. No material is fade proof when exposed to years of UV exposure and the elements. The Product is designed to resist fading, and will not in any event fade by more than 5 Delta E (CIE) units.

Stain Resistance: The Product shall be resistant to permanent staining resulting from spills of food and beverage items including ketchup, mustard, salad oils, tea, wine, coffee, fruit punch, barbeque sauce, grease, sodas and other food and beverage related items that would typically be present on a residential deck, or mold and mildew naturally occurring in the environment, provided that such substances are removed from the Product with soap and water or mild household cleaners within one (1) week of exposure of the food or beverage to the surface or first appearance of the mold and mildew

Notwithstanding the foregoing, Trex does not warrant that the Product is stain-proof, and does not warrant stain resistance resulting from spilled or otherwise applied food and beverage substances which are not properly cleaned as provided above within one (1) week of exposure. In addition, materials not covered in the stain resistant warranty include abrasive compounds of acidic or basic pH, paints or stains, strong solvents, metallic rust or other abnormal deck use items, and non-food and non-beverage substances, including but not limited to, biocides, fungicides, plant food, or bactericides. Mold and mildew can settle and grow on any outdoor surface, including this Product. You should periodically clean your deck to remove dirt and pollen that can feed mold and mildew. This warranty does not cover mold and mildew which is not properly cleaned as provided above within one (1) week of first appearance.

Standard Trex Company Limited Warranty: This warranty is in addition to the standard Trex Company Limited Warranty that applies to all Trex products.

Transferability: With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

EXCLUSIONS FROM WARRANTY COVERAGE:

Exposure to Heat: Direct or indirect contact with extreme heat sources (over 275 degrees) may cause fading and may damage the surface of the Product, and any effects of such exposure are expressly excluded from coverage under this warranty.

Surface Damage: Never use metal shovels or sharp-edged tools to remove snow and ice on the surface of the Product. If the surface of the Product is damaged or punctured, this warranty will be voided

Paint or Other Materials Applied to the Product: If paint or other coating materials are applied to the Product, this warranty will be voided.

Railing: This warranty does not cover Trex Transcend[®], Trex Enhance[®] or Trex Select[®] railing components.

Other Exclusions: This warranty shall not cover any condition attributable to: (1) improper installation of the Product and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of the Product beyond normal use or service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.); (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; (6) any fading or staining not on the walking surface of the Product (i.e., the underside or the ends of the Product); or (7) ordinary wear and tear.

Procedure for Making a Claim under this Warranty

In order to make a claim under this warranty, Purchaser must do the following:

1. If the Purchaser is making a claim relating to the warranty on stain resistance, Purchaser must do as follows:

(a) Purchaser must try to clean the affected area of the deck by using the cleaning procedures described above within one (1) week of exposure of the food or beverage to the Product or first appearance of the mold and mildew.

(b) If the affected area remains reasonably unsatisfactory after Purchaser has tried these cleaning procedures, then Purchaser must have the affected area of the deck professionally cleaned at Purchaser's expense.

(c) If the affected area remains reasonably unsatisfactory after the professional cleaning, Purchaser may make a claim under this warranty, provided that such claim is made within thirty (30) days after the professional cleaning.

2. To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description and photographs of the affected area of the Product, proof of purchase, and if the claim relates to the warranty on stain resistance, proof of compliance with paragraph 1. above, to the following address:

Trex Company, Inc. Customer Relations 160 Exeter Drive Winchester, VA 22603-8605

3. Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex's sole responsibility shall be, at its option, to either replace the affected item or refund the portion of the purchase price paid by Purchaser for such affected item (not including the cost of its initial installation).

Replacement material will be provided that is as close as possible in color, design and quality as the replaced material, but Trex does not guarantee an exact match as colors and design may change.

4. If a valid warranty claim hereunder is made during years eleven (11) through twenty-five (25) after the original purchase for a residential application, recovery will be prorated. If Trex is providing replacement materials, it may elect to replace the percentage listed below of boards otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below of the purchase price of boards otherwise meeting the requirements for a claim.

YEAR OF WARRANTY CLAIM	PERCENTAGE RECOVERY
11	80%
12	80%
13	80%
14	60%
15	60%
16	60%
17	40%
18	40%
19	40%
20	20%
21	20%
22	20%
23	10%
24	10%
25	10%

5. TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF AFFECTED PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright $\ensuremath{@}$ 2019 Trex Company, Inc.



TREX SIGNATURE® RAILING LIMITED WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the original purchaser ("Purchaser") that, under normal use and service conditions, Trex Signature® Railing (the "Product") shall, for a period of twenty-five (25) years from the date of original purchase, be free from material defects in workmanship and materials. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative is installed; (4) damages attributable to fire, violent storms, of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective Product or refund the portion of the purchase price paid by Purchaser for such defective Product (not including the cost of its initial installation).

With respect to installations where the atmosphere is influenced by a body of salt water (or other contaminant conditions), failure to adhere to the cleaning guidelines available at www.trex.com will void this warranty with respect to any condition resulting from such failure.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW. THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

This warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc. **Customer Relations** 160 Exeter Drive Winchester, VA 22603-8605 Trex does not warrant against and is not responsible for any condition attributable to: (1) improper installation of the Product; (2) use of the Product beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product earthquake or other Acts of God, accidents, vandalism, or other casualties, impact of objects, or exposure to atmospheric pollutants or conditions other than natural weather processes, (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; or (6) ordinary wear and tear.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2020 Trex Company, Inc.

S E E your D E C K in a whole new way

Visualize it.

Download our AR Deck Visualizer App to build your perfect Trex deck in your own backyard.










Share your build.

Tag us in your photos to be featured in our Instagram feed.



@ TREXCOMPANY





Engineering What's Next in Outdoor Living®

DECKING | RAILING | LIGHTING | FASCIA KITCHENS | FURNITURE | PERGOLA | DRAINAGE

Visit trex.com or call 1-800-BUY-TREX

FIND US ON











 $\ensuremath{\mathbb{C}}$ 2021 Trex Company, Inc. All rights reserved. Trex $\!\!^{\ensuremath{\text{@}}}$, the Trex logo, TrexPro®, Trex Enhance®, Trex Select®, Trex Transcend®, Trex® Cladding™, Trex Signature®, Trex® OutdoorLighting™, Trex® Fascia, Trex® Pergola™, Trex® Outdoor Kitchens™, Trex® Spiral Stairs™, Trex® RainEscape®, Trex® Protect™, Trex® Outdoor Furniture™, Trex® Cornhole™, Trex® Lattice™, Trex Hideaway® and Trex LightHub® are either federally registered trademarks, trademarks or trade dress of Trex Company, Inc., Winchester, Virginia or its licensees.